

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Graphite (Zn-Cu-Ti) EN 988.		
<b>2.Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Self-supporting metal sheet for roofing, external cladding and internal lining		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Graphite Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Resistance to concentrated forces (1,2 kN)	NPD	EN 14782:2006
Water permeability	Complies	EN 14782:2006
Dimensional change	$22 \times 10^{-6} \text{ K}^{-1}$	EN 14782:2006
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels	EN 14782:2006
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14782:2006
External fire performance	Class B <sub>ROOF</sub>	EN 14782:2006
Durability	Zn	EN 14782:2006
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
(name and function)

**Villallana, January 09, 2018**  
(place and date of issue)



(signature)

# DECLARATION OF PERFORMANCE

No. 14783.13CEN

**CE**  
(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Crystal (Zn-Cu-Ti) EN 988.		
<b>2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Fully supported metal sheet and strip for roofing, external cladding and internal lining.		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Crystal Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Durability	Zn	EN 14783:2013
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14783:2013
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14783:2013
External fire performance	Class B <sub>ROOF</sub> (EN 13501-5 (2000/553/EC))	EN 14783:2013
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14783:2013
Water vapour and air permeability	Complies	EN 14783:2013
Water permeability	Complies	EN 14783:2013
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
(name and function)

**Villallana, January 09, 2018**  
(place and date of issue)



(signature)



# DECLARATION OF PERFORMANCE



No. 14782.06CEN

(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A., elZinc Crystal (Zn-Cu-Ti) EN 988.		
<b>2.Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Self-supporting metal sheet for roofing, external cladding and internal lining		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Crystal Asturiana de Laminados S.A. Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Resistance to concentrated forces (1,2 kN)	NPD	EN 14782:2006
Water permeability	Complies	EN 14782:2006
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14782:2006
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14782:2006
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14782:2006
External fire performance	Class B <sub>ROOF</sub>	EN 14782:2006
Durability	Zn	EN 14782:2006
10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
(name and function)

**Villallana, January 09, 2018**  
(place and date of issue)



(signature)

# DECLARATION OF PERFORMANCE

No. 14783.13IEN


**CE**  
(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Oliva (Zn-Cu-Ti) EN 988.		
<b>2.Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Fully supported metal sheet and strip for roofing, external cladding and internal lining.		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Oliva Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Durability	Zn	EN 14783:2013
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14783:2013
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14783:2013
External fire performance	Class B <sub>ROOF</sub> (EN 13501-5 (2000/553/EC))	EN 14783:2013
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14783:2013
Water vapour and air permeability	Complies	EN 14783:2013
Water permeability	Complies	EN 14783:2013
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
(name and function)

**Villallana, January 09, 2018**  
(place and date of issue)

  
(signature)

# DECLARATION OF PERFORMANCE

No. 14782.06IEN

CE  
(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Oliva (Zn-Cu-Ti) EN 988.		
<b>2.Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Self-supporting metal sheet for roofing, external cladding and internal lining		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Oliva Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Resistance to concentrated forces (1,2 kN)	NPD	EN 14782:2006
Water permeability	Complies	EN 14782:2006
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14782:2006
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14782:2006
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14782:2006
External fire performance	Class B <sub>ROOF</sub>	EN 14782:2006
Durability	Zn	EN 14782:2006
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
(name and function)

**Villallana, January 09, 2018**  
(place and date of issue)



(signature)



# DECLARATION OF PERFORMANCE



No. 14783.13LEN


(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Lava (Zn-Cu-Ti) EN 988.		
<b>2.Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Fully supported metal sheet and strip for roofing, external cladding and internal lining.		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Lava Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Durability	Zn	EN 14783:2013
Dimensional change	$22 \times 10^{-6} \text{ K}^{-1}$	EN 14783:2013
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14783:2013
External fire performance	Class B <sub>ROOF</sub> (EN 13501-5 (2000/553/EC))	EN 14783:2013
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14783:2013
Water vapour and air permeability	Complies	EN 14783:2013
Water permeability	Complies	EN 14783:2013
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

Audilio González González, Operations Manager  
(name and function)

Villallana, January 09, 2018  
(place and date of issue)




(signature)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Lava (Zn-Cu-Ti) EN 988.		
<b>2.Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Self-supporting metal sheet for roofing, external cladding and internal lining		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Lava Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 4		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Resistance to concentrated forces (1,2 kN)	NPD	EN 14782:2006
Water permeability	Complies	EN 14782:2006
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14782:2006
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14782:2006
Reaction to fire	Class A1 (EN 13501-1 (96/603/EC))	EN 14782:2006
External fire performance	Class B <sub>ROOF</sub>	EN 14782:2006
Durability	Zn	EN 14782:2006
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
 (name and function)

**Villallana, January 09, 2018**  
 (place and date of issue)

  
 (signature)



# DECLARATION OF PERFORMANCE



No. 14783.13REN


(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A. elZinc Rainbow (Zn-Cu-Ti) EN 988.		
<b>2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Fully supported metal sheet and strip for roofing, external cladding and internal lining.		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Rainbow Asturiana de Laminados S.A. Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 3 for fire; AVCP System 4 for the rest of characteristics		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Durability	Zn	EN 14783:2013
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14783:2013
Reaction to fire	Class A2 S1 d0 (EN 13501-1 (96/603/EC))	EN 14783:2013
External fire performance	Class B <sub>ROOF</sub> (EN 13501-5 (2000/553/EC))	EN 14783:2013
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14783:2013
Water vapour and air permeability	Complies	EN 14783:2013
Water permeability	Complies	EN 14783:2013
<b>10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.</b>		

Signed for and on behalf of the manufacturer by:

Audilio González González, Operations Manager  
(name and function)

Villallana, January 09, 2018  
(place and date of issue)



(signature)



# DECLARATION OF PERFORMANCE

No. 14782.06REN

CE  
(305/2011/EU)

<b>1. Unique identification code of the product-type</b> Sheets and coils from Asturiana de Laminados S.A, elZinc Rainbow (Zn-Cu-Ti) EN 988.		
<b>2. Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4)</b> All products are marked continuously according to the requirements of EN 988.		
<b>3. Intended use or uses of the construction product, in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer</b> Self-supporting metal sheet for roofing, external cladding and internal lining		
<b>4. Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5)</b> elZinc Rainbow Asturiana de Laminados S.A Polígono industrial de Villallana parcela 1, 33695 Villallana		
<b>5. where applicable, name and contact address of the authorised representative whose mandate covers the tasks specified in Article 12 (2)</b> Not applicable		
<b>6. System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:</b> AVCP System 3 for fire; AVCP System 4 for the rest of characteristics		
<b>7. Activity of the notified body as required by a harmonized standard</b> Not applicable		
<b>8. Activity of the European Technical Assessment Body</b> Not applicable		
<b>9. Declared performance</b>		
Essential characteristics	Performance	Harmonised technical specification
Resistance to concentrated forces (1,2 kN)	NPD	EN 14782:2006
Water permeability	Complies	EN 14782:2006
Dimensional change	$22 \times 10^{-6} K^{-1}$	EN 14782:2006
Release of dangerous substance	The materials in the product do not contain or release any dangerous substances in excess of the maximum levels specified in existing European material standards or any national regulations	EN 14782:2006
Reaction to fire	A2 S1 d0 (EN 13501-1 (96/603/EC))	EN 14782:2006
External fire performance	Class B <sub>ROOF</sub>	EN 14782:2006
Durability	Zn	EN 14782:2006
10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.		

Signed for and on behalf of the manufacturer by:

**Audilio González González, Operations Manager**  
(name and function)

**Villallana, January 09, 2018**  
(place and date of issue)



(signature)